

# HIGH DENSITY SOLID CARPET

SUPER ACCORD - HIGH QUALITY CUT PILE CARPET		
Fibre	Camfin PP Twisted Yarn	<b>Excellent Finishing</b>
Construction	Level Cut Pile	Easy To Clean
Dye Method	Solution Dyed	Fast Colours
Carpet Height	12mm	Soft To Walk
Carpet Weight	2300 gsm	Top Density
Primary Backing	Woven Polypropylene	Stable Surface
Secondary Back	Action Backing	Long Life
Standard Width	12 feet	Less Joints

## **Best Value**

RJM is happy to offer a choice of graphics and plain color Tufted carpets and exciting range of flat and structured needle punch carpets.












**ACCORD PLUS** 

HIGH DENSITY SOLID CARPET







IDEAL FLOOR COVERING FOR- MEDIUM TRAFFIC AREAS, HOTELS AND RESTAURANTS, LIVING **ROOMS AND BEDROOMS** 

**EASY TO CLEAN** 


**SOFT TO WALK** 

**EXCELLENT FINISHING** 























### Wearability

Designed and engineered for the end use performance and backed by the limited specific warranties as listed by the grading.



#### **Fire Rating**

Superior fire rating due to exclusive product engineering and specialized backing.



#### Protection

This Carpet will resist most oil and water based stains due to its low moisture absorption



#### **Colour Fastness**

Solution dyed colour yarns resists years of sunlight and professional cleaning better than ordinary carpet fibres because the colour goes right to the base of the tuft and the core of the fibre.



#### **Best Value**

RJM is happy to offer a choice of graphics and plain color Tufted carpets and exciting range of flat and structured needle punch carpets.



#### Cleaning

An upright beater type vacuum cleaner will effectively maintain these carpets. Prompt attention to spills is essential to prevent staining. Use of protective mats at entrances and protective chair pads under office chairs with roller castors are strongly recommended for a longer and better performance of the carpet.



#### Shades

Due to limitations of dye technologies colours may be slightly vary from batch to batch. Make sure to use carpet rolls of the same production batch in the same area.